

REFERENCES CITED

The following references, to the extent that they provide exemplary procedural or other details supplementary to those set forth herein, are specifically incorporated herein by reference.

U.S. PATENT DOCUMENTS

U.S. Patent No. 4,683,202 issued on July 28, 1987 with Mullis listed as inventor.

U.S. Patent No. 4,956,288 issued on September 11, 1990 with Barsoum listed as inventor.

U.S. Patent No. 5,298,422 issued on March 29, 1994 with Schwartz, *et al.* listed as inventors.

U.S. Patent No. 5,374,544 issued on December 20, 1994 with Schwartz, *et al.* listed as inventors.

U.S. Patent No. 5,384,253 issued on January 24, 1995 with Krzyzek , *et al.* as inventors.

U.S. Patent No. 5,439,440 issued on August 8, 1995 with Hofmann listed as inventor.

U.S. Patent No. 5,702,384 issued on December 30, 1997 with Umeyama, *et al.* listed as inventors.

U.S. Patent No. 5,704,908 issued on January 6, 1998 with Hofmann, *et al.* listed as inventors.

U.S. Patent No. 5,756,264 issued on May 26, 1998 with Schwartz, *et al.* listed as inventors.

U.S. Patent No. 5,925,564 issued on July 20, 1999 with Schwartz, *et al.* listed as inventors.

U.S. Patent No. 5,925,565 issued on July 20, 1999 with Berlioz, *et al.* listed as inventors.

U.S. Patent No. 5,928,906 issued on July 27, 1999 with Koster, *et al.* listed as inventors.

U.S. Patent No. 5,935,819 issued on August 10, 1999 with Eichner, *et al.* listed as inventors.

U.S. Patent No. 5,955,365 issued on September 21, 1999 with Szoka, *et al.* listed as inventors.

U.S. Patent No. 6,150,168 issued on November 21, 2000 with Woo, *et al.* listed as inventors.

U.S. Patent No. 6,177,554 issued on January 23, 2001 with Woo, *et al.* listed as inventors.

OTHER PUBLICATIONS

- AIHARA, H. and J. Miyazaki. 1998. Gene transfer into muscle by electroporation *in vivo*. *Nat. Biotechnol.* 16:867-870.
- AKENO, N., J. Robins, M. Zhang, M. F. Czyzyk-Krzeska, and T. L. Clemens. 2002. Induction of vascular endothelial growth factor by IGF-I in osteoblast-like cells is mediated by the PI3K signaling pathway through the hypoxia-inducible factor-2alpha. *Endocrinology* 143:420-425.
- ALILA, H., M. Coleman, H. Nitta, M. French, K. Anwer, Q. Liu, T. Meyer, J. Wang, R. Mumper, D. Oubari, S. Long, J. Nordstrom, and A. Rolland. 1997. Expression of biologically active human insulin-like growth factor-I following intramuscular injection of a formulated plasmid in rats. *Hum. Gene Ther.* 8:1785-1795.
- ALMENDRO, N., T. Bellon, C. Rius, P. Lastres, C. Langa, A. Corbi, and C. Bernabeu. 1996. Cloning of the human platelet endothelial cell adhesion molecule-1 promoter and its tissue-specific expression. Structural and functional characterization. *J. Immunol.* 157:5411-5421.
- ANDRES, V. and K. Walsh. 1996. Myogenin expression, cell cycle withdrawal, and phenotypic differentiation are temporally separable events that precede cell fusion upon myogenesis. *J Cell Biol.* 132:657-666.
- ARATANI, Y., R. Okazaki, and H. Koyama. 1992. End extension repair of introduced targeting vectors mediated by homologous recombination in mammalian cells. *Nucleic Acids Res.* 20:4795-4801.
- ARTHUR, W. T., R. B. Vernon, E. H. Sage, and M. J. Reed. 1998. Growth factors reverse the impaired sprouting of microvessels from aged mice. *Microvasc. Res.* 55:260-270.

BAGUST, A., P. K. Hopkinson, L. Maslove, and C. J. Currie. 2002. The projected health care burden of Type 2 diabetes in the UK from 2000 to 2060. *Diabet. Med.* 19 Suppl 4:1-5.:1-5.

BARTON-DAVIS, E. R., D. I. Shoturma, A. Musaro, N. Rosenthal, and H. L. Sweeney. 1998. Viral mediated expression of insulin-like growth factor I blocks the aging-related loss of skeletal muscle function [In Process Citation]. *Proc. Natl. Acad. Sci. U. S. A.* 95:15603-15607.

BECKMAN, J.A., Creager, M.A., Libby, P., 2002. Diabetes and atherosclerosis: epidemiology, pathophysiology, and management. *JAMA* 287, 2570-2581.

BERMONT, L., F. Lamielle, S. Fauconnet, H. Esumi, A. Weisz, and G. L. Adessi. 2000. Regulation of vascular endothelial growth factor expression by insulin-like growth factor-I in endometrial adenocarcinoma cells. *Int. J Cancer* 85:117-123.

BETTAN, M., F. Emmanuel, R. Darteil, J. M. Caillaud, F. Soubrier, P. Delaere, D. Branelec, A. Mahfoudi, N. Duverger, and D. Scherman. 2000. High-level protein secretion into blood circulation after electric pulse-mediated gene transfer into skeletal muscle. *Mol. Ther.* 2:204-210.

BOSHART, M., F. Weber, G. Jahn, K. Dorsch-Hasler, B. Fleckenstein, and W. Schaffner. 1985. A very strong enhancer is located upstream of an immediate early gene of human cytomegalovirus. *Cell* 41:521-530.

BUERKE, M., T. Murohara, C. Skurk, C. Nuss, K. Tomaselli, and A. M. Lefer. 1995. Cardioprotective effect of insulin-like growth factor I in myocardial ischemia followed by reperfusion. *Proc. Natl. Acad. Sci. U. S. A* 92:8031-8035.

CARBONELLI, D. L., E. Corley, M. Seigelchifer, and J. Zorzopoulos. 1999. A plasmid vector for isolation of strong promoters in *Escherichia coli*. *FEMS Microbiol. Lett.* 177:75-82.

- CARONI, P., C. Schneider, M. C. Kiefer, and J. Zapf. 1994. Role of muscle insulin-like growth factors in nerve sprouting: suppression of terminal sprouting in paralyzed muscle by IGF-binding protein 4. *J. Cell Biol.* 125:893-902.
- CASTELLON, R., H. K. Hamdi, I. Sacerio, A. M. Aoki, M. C. Kenney, and A. V. Ljubimov. 2002. Effects of angiogenic growth factor combinations on retinal endothelial cells. *Exp. Eye Res.* 74:523-535.
- CHANDLER, S. D., A. Mayeda, J. M. Yeakley, A. R. Krainer, and X. D. Fu. 1997. RNA splicing specificity determined by the coordinated action of RNA recognition motifs in SR proteins. *Proc. Natl. Acad. Sci. U. S. A* 94:3596-3601.
- CHENG, H. L., A. Randolph, D. Yee, P. Delafontaine, G. Tennekoon, and E. L. Feldman. 1996. Characterization of insulin-like growth factor-I and its receptor and binding proteins in transected nerves and cultured Schwann cells. *J. Neurochem.* 66:525-536.
- COCEA, L. 1997. Duplication of a region in the multiple cloning site of a plasmid vector to enhance cloning-mediated addition of restriction sites to a DNA fragment. *Biotechniques* 23:814-816.
- COLEMAN, M. E., F. DeMayo, K. C. Yin, H. M. Lee, R. Geske, C. Montgomery, and R. J. Schwartz. 1995. Myogenic vector expression of insulin-like growth factor I stimulates muscle cell differentiation and myofiber hypertrophy in transgenic mice. *J. Biol. Chem.* 270:12109-12116.
- CRIQUI, M.H., 2001. Peripheral arterial disease--epidemiological aspects. *Vasc. Med.* 6, 3-7.
- CURRIE, C. J., C. L. Morgan, and J. R. Peters. 1998. The epidemiology and cost of inpatient care for peripheral vascular disease, infection, neuropathy, and ulceration in diabetes. *Diabetes Care* 21:42-48.

DAI, B., H. Wu, E. Holthuizen, and P. Singh. 2001. Identification of a novel cis element required for cell density-dependent down-regulation of insulin-like growth factor-2 P3 promoter activity in Caco2 cells. *J. Biol. Chem.* 276:6937-6944.

DANKO, I. and J. A. Wolff. 1994. Direct gene transfer into muscle. [Review]. *Vaccine* 12:1499-1502.

DARQUET, A. M., B. Cameron, P. Wils, D. Scherman, and J. Crouzet. 1997. A new DNA vehicle for nonviral gene delivery: supercoiled minicircle. *Gene Ther.* 4:1341-1349.

DARQUET, A. M., R. Rangara, P. Kreiss, B. Schwartz, S. Naimi, P. Delaere, J. Crouzet, and D. Scherman. 1999. Minicircle: an improved DNA molecule for in vitro and in vivo gene transfer. *Gene Ther.* 6:209-218.

DAVIS, H. L., R. G. Whalen, and B. A. Demeneix. 1993. Direct gene transfer into skeletal muscle in vivo: factors affecting efficiency of transfer and stability of expression. *Human Gene Therapy* 4:151-159.

DAVIS, S., N. Papadopoulos, T. H. Aldrich, P. C. Maisonpierre, T. Huang, L. Kovac, A. Xu, R. Leidich, E. Radziejewska, A. Rafique, J. Goldberg, V. Jain, K. Bailey, M. Karow, J. Fandl, S. J. Samuelsson, E. Ioffe, J. S. Rudge, T. J. Daly, C. Radziejewski, and G. D. Yancopoulos. 2003. Angiopoietins have distinct modular domains essential for receptor binding, dimerization and superclustering. *Nat. Struct. Biol.* 10:38-44.

DE LUCA, A., S. Pierno, C. Camerino, D. Cocchi, and D. C. Camerino. 1999. Higher content of insulin-like growth factor-I in dystrophic mdx mouse: potential role in the spontaneous regeneration through an electrophysiological investigation of muscle function. *Neuromuscul. Disord.* 9:11-18.

DOLNIK, V., M. Novotny, and J. Chmelik. 1993. Electromigration behavior of poly-(L-glutamate) conformers in concentrated polyacrylamide gels. *Biopolymers* 33:1299-1306.

- DONATH, M. Y., M. A. Gosteli-Peter, C. Hauri, E. R. Froesch, and J. Zapf. 1997. Insulin-like growth factor-I stimulates myofibrillar genes and modulates atrial natriuretic factor mRNA in rat heart. *Eur. J. Endocrinol.* 137:309-315.
- DONATH, M. Y., G. Sutsch, X. W. Yan, B. Piva, H. P. Brunner, Y. Glatz, J. Zapf, F. Follath, E. R. Froesch, and W. Kiowski. 1998. Acute cardiovascular effects of insulin-like growth factor I in patients with chronic heart failure. *J. Clin. Endocrinol. Metab* 83:3177-3183.
- DONATH, M. Y., J. Zapf, M. Eppenberger-Eberhardt, E. R. Froesch, and H. M. Eppenberger. 1994. Insulin-like growth factor I stimulates myofibril development and decreases smooth muscle alpha-actin of adult cardiomyocytes. *Proc. Natl. Acad. Sci. U. S. A* 91:1686-1690.
- DORSCH-HASLER, K., G. M. Keil, F. Weber, M. Jasin, W. Schaffner, and U. H. Koszinowski. 1985. A long and complex enhancer activates transcription of the gene coding for the highly abundant immediate early mRNA in murine cytomegalovirus. *Proc. Natl. Acad. Sci. U. S. A* 82:8325-8329.
- DRAGHIA-Akli, R., M. L. Fiorotto, L. A. Hill, P. B. Malone, D. R. Deaver, and R. J. Schwartz. 1999. Myogenic expression of an injectable protease-resistant growth hormone-releasing hormone augments long-term growth in pigs. *Nat. Biotechnol.* 17:1179-1183.
- DRAGHIA-Akli, R., A. S. Khan, K. K. Cummings, D. Parghi, R. H. Carpenter, and P. A. Brown. 2002a. Electrical Enhancement of Formulated Plasmid Delivery in Animals. *Technology in Cancer Research & Treatment* 1:365-371.
- DRAGHIA-Akli, R., P. B. Malone, L. A. Hill, K. M. Ellis, R. J. Schwartz, and J. L. Nordstrom. 2002. Enhanced animal growth via ligand-regulated GHRH myogenic-injectables vectors. *FASEB J.* 16:426-428.

- DUERR, R. L., M. D. McKirnan, R. D. Gim, R. G. Clark, K. R. Chien, and J. Ross, Jr. 1996. Cardiovascular effects of insulin-like growth factor-1 and growth hormone in chronic left ventricular failure in the rat. *Circulation* 93:2188-2196.
- FEENER, E. P. and G. L. King. 1997. Vascular dysfunction in diabetes mellitus. *Lancet* 350 Suppl 1:SI9-13.:SI9-13.
- FEWELL, J. G., F. MacLaughlin, V. Mehta, M. Gondo, F. Nicol, E. Wilson, and L. C. Smith. 2001. Gene therapy for the treatment of hemophilia B using PINC-formulated plasmid delivered to muscle with electroporation. *Mol. Ther.* 3:574-583.
- FIORELLI, G., L. Formigli, O. S. Zecchi, F. Gori, A. Falchetti, A. Morelli, A. Tanini, S. Benvenuti, and M. L. Brandi. 1996. Characterization and function of the receptor for IGF-I in human preosteoclastic cells. *Bone* 18:269-276.
- FIORELLI, G., C. Orlando, S. Benvenuti, F. Franceschelli, S. Bianchi, P. Pioli, A. Tanini, M. Serio, F. Bartucci, and M. L. Brandi. 1994. Characterization, regulation, and function of specific cell membrane receptors for insulin-like growth factor I on bone endothelial cells. *J Bone Miner. Res.* 9:329-337.
- FLAMME, I., G. Breier, and W. Risau. 1995. Vascular endothelial growth factor (VEGF) and VEGF receptor 2 (flk-1) are expressed during vasculogenesis and vascular differentiation in the quail embryo. *Dev. Biol.* 169:699-712.
- FLORINI, J. R., D. Z. Ewton, K. A. Magri, and F. J. Mangiacapra. 1993. IGFs and muscle differentiation. *Adv. Exp. Med. Biol.* 343:319-26:319-326.
- FLORINI, J. R., K. A. Magri, D. Z. Ewton, P. L. James, K. Grindstaff, and P. S. Rotwein. 1991. "Spontaneous" differentiation of skeletal myoblasts is dependent upon autocrine secretion of insulin-like growth factor-II. *J. Biol. Chem.* 266:15917-15923.
- FOLKMAN, J. 1995. Angiogenesis in cancer, vascular, rheumatoid and other disease. *Nat. Med.* 1:27-31.

- FOLKMAN, J. and M. Klagsbrun. 1987. Angiogenic factors. *Science* 235:442-447.
- FOWLER, B., Jamrozik, K., Norman, P., Allen, Y., 2002. Prevalence of peripheral arterial disease: persistence of excess risk in former smokers. *Aust. N. Z. J Public Health* 26, 219-224.
- FRYER, A. D. and D. B. Jacoby. 1993. Effect of inflammatory cell mediators on M2 muscarinic receptors in the lungs. *Life Sci.* 52:529-536.
- GEHL, J., T. Skovsgaard, and L. M. Mir. 1998. Enhancement of cytotoxicity by electroporation: an improved method for screening drugs. *Anticancer Drugs* 9:319-325.
- GEHL, J., T. H. Sorensen, K. Nielsen, P. Raskmark, S. L. Nielsen, T. Skovsgaard, and L. M. Mir. 1999. In vivo electroporation of skeletal muscle: threshold, efficacy and relation to electric field distribution. *Biochim. Biophys. Acta* 1428:233-240.
- GERMAN, M., S. Ashcroft, K. Docherty, H. Edlund, T. Edlund, S. Goodison, H. Imura, G. Kennedy, O. Madsen, D. Melloul, and . 1995. The insulin gene promoter. A simplified nomenclature. *Diabetes* 44:1002-1004.
- GLAZNER, G. W., A. E. Morrison, and D. N. Ishii. 1994. Elevated insulin-like growth factor (IGF) gene expression in sciatic nerves during IGF-supported nerve regeneration. *Brain Res. Mol. Brain Res.* 25:265-272.
- GOAD, D. L., J. Rubin, H. Wang, A. H. Tashjian, Jr., and C. Patterson. 1996. Enhanced expression of vascular endothelial growth factor in human SaOS-2 osteoblast-like cells and murine osteoblasts induced by insulin-like growth factor I. *Endocrinology* 137:2262-2268.
- GOLDSPINK, G. 1999. Changes in muscle mass and phenotype and the expression of autocrine and systemic growth factors by muscle in response to stretch and overload. *J. Anat.* 194:323-334.

HELLER, R., M. J. Jaroszeski, L. F. Glass, J. L. Messina, D. P. Rapaport, R. C. DeConti, N. A. Fenske, R. A. Gilbert, L. M. Mir, and D. S. Reintgen. 1996. Phase I/II trial for the treatment of cutaneous and subcutaneous tumors using electrochemotherapy. *Cancer* 77:964-971.

HERZOG, R. W., J. D. Mount, V. R. Arruda, K. A. High, and C. D. Lothrop, Jr. 2001. Muscle-directed gene transfer and transient immune suppression result in sustained partial correction of canine hemophilia B caused by a null mutation. *Mol. Ther.* 4:192-200.

HORLICK, R. A. and P. A. Benfield. 1989. The upstream muscle-specific enhancer of the rat muscle creatine kinase gene is composed of multiple elements. *Mol. Cell Biol.* 9:2396-2413.

HORVATH, K. A., J. Doukas, C. Y. Lu, N. Belkind, R. Greene, G. F. Pierce, and D. A. Fullerton. 2002. Myocardial functional recovery after fibroblast growth factor 2 gene therapy as assessed by echocardiography and magnetic resonance imaging. *Ann. Thorac. Surg.* 74:481-486.

HSU, H. H., M. M. Zdanowicz, V. R. Agarwal, and P. W. Speiser. 1997. Expression of myogenic regulatory factors in normal and dystrophic mice: effects of IGF-I treatment. *Biochem. Mol. Med.* 60:142-148.

INOUE, C., P. Remondelli, M. Karin, and S. Elledge. 1994. Isolation of a cDNA encoding a metal response element binding protein using a novel expression cloning procedure: the one hybrid system. *DNA Cell Biol.* 13:731-742.

INOUE, S., A. Nakazawa, and T. Nakazawa. 1985. Determination of the transcription initiation site and identification of the protein product of the regulatory gene *xylR* for *xyl* operons on the TOL plasmid. *J. Bacteriol.* 163:863-869.

ITO, H., M. Hiroe, Y. Hirata, M. Tsujino, S. Adachi, M. Shichiri, A. Koike, A. Nogami, and F. Marumo. 1993. Insulin-like growth factor-I induces hypertrophy with enhanced

expression of muscle specific genes in cultured rat cardiomyocytes. *Circulation* 87:1715-1721.

JABRI, N., D. S. Schalch, S. L. Schwartz, J. S. Fischer, M. S. Kipnes, B. J. Radnik, N. J. Turman, V. S. Marcisin, and H. P. Guler. 1994. Adverse effects of recombinant human insulin-like growth factor I in obese insulin-resistant type II diabetic patients. *Diabetes* 43:369-374.

JAYNES, J. B., J. E. Johnson, J. N. Buskin, C. L. Gartside, and S. D. Hauschka. 1988. The muscle creatine kinase gene is regulated by multiple upstream elements, including a muscle-specific enhancer. *Mol. Cell Biol.* 8:62-70.

JESCHKE, M. G., R. E. Barrow, H. K. Hawkins, K. Yang, R. L. Hayes, B. J. Lichtenbelt, J. R. Perez-Polo, and D. N. Herndon. 1999. IGF-I gene transfer in thermally injured rats. *Gene Ther.* 6:1015-1020.

KAJSTURA, J., W. Cheng, K. Reiss, and P. Anversa. 1994. The IGF-I-IGF-I receptor system modulates myocyte proliferation but not myocyte cellular hypertrophy in vitro. *Exp. Cell Res.* 215:273-283.

Kardami, E. 1990. Stimulation and inhibition of cardiac myocyte proliferation in vitro. *Mol. Cell Biochem.* 92:129-135.

Kasemkijwattana, C., J. Menetrey, G. Somogyi, M. S. Moreland, F. H. Fu, B. Buranapanitkit, S. C. Watkins, and J. Huard. 1998. Development of approaches to improve the healing following muscle contusion. *Cell Transplant.* 7:585-598.

KAWAMOTO, T., K. Makino, H. Niwa, H. Sugiyama, S. Kimura, M. Amemura, A. Nakata, and T. Kakunaga. 1988. Identification of the human beta-actin enhancer and its binding factor. *Mol. Cell Biol.* 8:267-272.

KAWAMOTO, T., K. Makino, S. Orita, A. Nakata, and T. Kakunaga. 1989. DNA bending and binding factors of the human beta-actin promoter. *Nucleic Acids Res.* 17:523-537.

KELLY, P. J., J. A. Eisman, M. C. Stuart, N. A. Pocock, P. N. Sambrook, and T. H. Gwinn. 1990. Somatomedin-C, physical fitness, and bone density. *J. Clin. Endocrinol. Metab.* 70:718-723.

KLAMUT, H. J., L. O. Bosnayan-Collins, R. G. Worton, P. N. Ray, and H. L. Davis. 1996. Identification of a transcriptional enhancer within muscle intron 1 of the human dystrophin gene. *Hum. Mol. Genet.* 5:1599-1606.

KLAMUT, H. J., S. B. Gangopadhyay, R. G. Worton, and P. N. Ray. 1990. Molecular and functional analysis of the muscle-specific promoter region of the Duchenne muscular dystrophy gene. *Mol. Cell Biol.* 10:193-205.

KOBAYASHI, T. and K. Kamata. 2002. Short-term insulin treatment and aortic expressions of IGF-I receptor and VEGF mRNA in diabetic rats. *Am. J Physiol Heart Circ. Physiol* 283:H1761-H1768.

KRAUS, J., M. Woltje, N. Schonwetter, and V. Hollt. 1998. Alternative promoter usage and tissue specific expression of the mouse somatostatin receptor 2 gene. *FEBS Lett.* 428:165-170.

LAREYRE, J. J., T. Z. Thomas, W. L. Zheng, S. Kasper, D. E. Ong, M. C. Orgebin-Crist, and R. J. Matusik. 1999. A 5-kilobase pair promoter fragment of the murine epididymal retinoic acid-binding protein gene drives the tissue-specific, cell-specific, and androgen-regulated expression of a foreign gene in the epididymis of transgenic mice. *J. Biol. Chem.* 274:8282-8290.

LARSEN, P. R., J. W. Harney, and D. D. Moore. 1986. Sequences required for cell-type specific thyroid hormone regulation of rat growth hormone promoter activity. *J. Biol. Chem.* 261:14373-14376.

LEE, S. H., W. Wang, S. Yajima, P. A. Jose, and M. M. Mouradian. 1997. Tissue-specific promoter usage in the D1A dopamine receptor gene in brain and kidney. *DNA Cell Biol.* 16:1267-1275.

- Lesbordes, J. C., T. Bordet, G. Haase, L. Castelnau-Ptakhine, S. Rouhani, H. Gilgenkrantz, and A. Kahn. 2002. In vivo electrotransfer of the cardiotrophin-1 gene into skeletal muscle slows down progression of motor neuron degeneration in pmn mice. *Hum. Mol. Genet.* 11:1615-1625.
- LESCAUDRON, L., E. Peltekian, J. Fontaine-Perus, D. Paulin, M. Zampieri, L. Garcia, and E. Parrish. 1999. Blood borne macrophages are essential for the triggering of muscle regeneration following muscle transplant. *Neuromuscul. Disord.* 9:72-80.
- LEUNG, D. W., G. Cachianes, W. J. Kuang, D. V. Goeddel, and N. Ferrara. 1989. Vascular endothelial growth factor is a secreted angiogenic mitogen. *Science* 246:1306-1309.
- LEVENSON, V. V., E. D. Transue, and I. B. Roninson. 1998. Internal ribosomal entry site-containing retroviral vectors with green fluorescent protein and drug resistance markers. *Hum. Gene Ther.* 9:1233-1236.
- LI, C., S. Ke, Q. P. Wu, W. Tansey, N. Hunter, L. M. Buchmiller, L. Milas, C. Charnsangavej, and S. Wallace. 2000. Tumor irradiation enhances the tumor-specific distribution of poly(L-glutamic acid)-conjugated paclitaxel and its antitumor efficacy. *Clin. Cancer Res.* 6:2829-2834.
- LI, X., E. M. Eastman, R. J. Schwartz, and R. Draghia-Akli. 1999. Synthetic muscle promoters: activities exceeding naturally occurring regulatory sequences. *Nat. Biotechnol.* 17:241-245.
- LIN, H., K. E. Yutzey, and S. F. Konieczny. 1991. Muscle-specific expression of the troponin I gene requires interactions between helix-loop-helix muscle regulatory factors and ubiquitous transcription factors. *Mol. Cell Biol.* 11:267-280.
- LIU, Y., H. Li, K. Tanaka, N. Tsumaki, and Y. Yamada. 2000. Identification of an enhancer sequence within the first intron required for cartilage-specific transcription of the alpha2(XI) collagen gene. *J. Biol. Chem.* 275:12712-12718.

- LOMBARDI, G., A. Colao, A. Cuocolo, S. Longobardi, C. Di Somma, F. Orio, B. Merola, E. Nicolai, and M. Salvatore. 1997. Cardiological aspects of growth hormone and insulin-like growth factor-I. *J. Pediatr. Endocrinol. Metab* 10:553-560.
- LUCAS, M. L., L. Heller, D. Coppola, and R. Heller. 2002. IL-12 plasmid delivery by in vivo electroporation for the successful treatment of established subcutaneous B16.F10 melanoma. *Mol. Ther.* 5:668-675.
- LUCAS, M. L., M. J. Jaroszeski, R. Gilbert, and R. Heller. 2001. In vivo electroporation using an exponentially enhanced pulse: a new waveform. *DNA Cell Biol.* 20:183-188.
- MACCOLL, G. S., G. Goldspink, and P. M. Bouloux. 1999. Using skeletal muscle as an artificial endocrine tissue. *J. Endocrinol.* 162:1-9.
- MACEJAK, D. G. and P. Sarnow. 1991. Internal initiation of translation mediated by the 5' leader of a cellular mRNA. *Nature* 353:90-94.
- MATSUBARA, H., Y. Gunji, T. Maeda, K. Tasaki, Y. Koide, T. Asano, T. Ochiai, S. Sakiyama, and M. Tagawa. 2001. Electroporation-mediated transfer of cytokine genes into human esophageal tumors produces anti-tumor effects in mice. *Anticancer Res.* 21:2501-2503.
- MATSUO, A., I. Tooyama, S. Isobe, Y. Oomura, I. Akiguchi, K. Hanai, J. Kimura, and H. Kimura. 1994. Immunohistochemical localization in the rat brain of an epitope corresponding to the fibroblast growth factor receptor-1. *Neuroscience* 60:49-66.
- MCNALLY, M. A., J. S. Lebkowski, T. B. Okarma, and L. B. Lerch. 1988. Optimizing electroporation parameters for a variety of human hematopoietic cell lines. *Biotechniques* 6:882-886.
- MEIGS, J. B., M. G. Larson, R. B. D'Agostino, D. Levy, M. E. Clouse, D. M. Nathan, P. W. Wilson, and C. J. O'Donnell. 2002. Coronary artery calcification in type 2 diabetes and insulin resistance: the framingham offspring study. *Diabetes Care* 25:1313-1319.

- MEIGS, J. B., D. E. Singer, L. M. Sullivan, K. A. Dukes, R. B. D'Agostino, D. M. Nathan, E. H. Wagner, S. H. Kaplan, and S. Greenfield. 1997. Metabolic control and prevalent cardiovascular disease in non-insulin-dependent diabetes mellitus (NIDDM): The NIDDM Patient Outcome Research Team. *Am. J Med.* 102:38-47.
- MENETREY, J., C. Kasemkijwattana, C. S. Day, P. Bosch, M. Vogt, F. H. Fu, M. S. Moreland, and J. Huard. 2000. Growth factors improve muscle healing in vivo. *J. Bone Joint Surg. Br.* 82:131-137.
- MIELE, C., J. J. Rochford, N. Filippa, S. Giorgetti-Peraldi, and E. Van Obberghen. 2000. Insulin and insulin-like growth factor-I induce vascular endothelial growth factor mRNA expression via different signaling pathways. *J Biol. Chem.* 275:21695-21702.
- MIKLAVCIC, D., K. Beravs, D. Semrov, M. Cemazar, F. Demsar, and G. Sersa. 1998. The importance of electric field distribution for effective in vivo electroporation of tissues. *Biophys. J* 74:2152-2158.
- MONTARRAS, D., J. Chelly, E. Bober, H. Arnold, M. O. Ott, F. Gros, and C. Pinset. 1991. Developmental patterns in the expression of Myf5, MyoD, myogenin, and MRF4 during myogenesis. *New Biol.* 3:592-600.
- MUMPER, R. J., J. Wang, S. L. Klakamp, H. Nitta, K. Anwer, F. Tagliaferri, and A. P. Rolland. 1998. Protective interactive noncondensing (PINC) polymers for enhanced plasmid distribution and expression in rat skeletal muscle. *J. Control Release* 52:191-203.
- MURAMATSU, T., S. Arakawa, K. Fukazawa, Y. Fujiwara, T. Yoshida, R. Sasaki, S. Masuda, and H. M. Park. 2001. In vivo gene electroporation in skeletal muscle with special reference to the duration of gene expression. *Int. J Mol. Med.* 7:37-42.
- NAIRN, R. S., G. M. Adair, T. Porter, S. L. Pennington, D. G. Smith, J. H. Wilson, and M. M. Seidman. 1993. Targeting vector configuration and method of gene transfer

influence targeted correction of the APRT gene in Chinese hamster ovary cells. Somat. Cell Mol. Genet. 19:363-375.

NARUM, D. L., S. Kumar, W. O. Rogers, S. R. Fuhrmann, H. Liang, M. Oakley, A. Taye, B. K. Sim, and S. L. Hoffman. 2001. Codon optimization of gene fragments encoding Plasmodium falciparum merozoite proteins enhances DNA vaccine protein expression and immunogenicity in mice. Infect. Immun. 69:7250-7253.

NEUMANN, E., M. Schaefer-Ridder, Y. Wang, and P. H. Hofsneider. 1982. Gene transfer into mouse lyoma cells by electroporation in high electric fields. EMBO J. 1:841-845.

NOMOTO, S., Y. Tatematsu, T. Takahashi, and H. Osada. 1999. Cloning and characterization of the alternative promoter regions of the human LIMK2 gene responsible for alternative transcripts with tissue-specific expression. Gene 236:259-271.

OHLSSON, H., S. Thor, and T. Edlund. 1991. Novel insulin promoter- and enhancer-binding proteins that discriminate between pancreatic alpha- and beta-cells. Mol. Endocrinol. 5:897-904.

OTANI, Y., Y. Tabata, and Y. Ikada. 1996. Rapidly curable biological glue composed of gelatin and poly(L-glutamic acid). Biomaterials 17:1387-1391.

OTANI, Y., Y. Tabata, and Y. Ikada. 1998. Hemostatic capability of rapidly curable glues from gelatin, poly(L-glutamic acid), and carbodiimide. Biomaterials 19:2091-2098.

PECH, M., C. D. Rao, K. C. Robbins, and S. A. Aaronson. 1989. Functional identification of regulatory elements within the promoter region of platelet-derived growth factor 2. Mol. Cell Biol. 9:396-405.

PELLETIER, J. and N. Sonenberg. 1988. Internal initiation of translation of eukaryotic mRNA directed by a sequence derived from poliovirus RNA. Nature 334:320-325.

- PETERS, K. G. 1998. Vascular endothelial growth factor and the angiopoietins: working together to build a better blood vessel. *Circ. Res.* 83:342-343.
- PINKERT, C. A., D. M. Ornitz, R. L. Brinster, and R. D. Palmiter. 1987. An albumin enhancer located 10 kb upstream functions along with its promoter to direct efficient, liver-specific expression in transgenic mice. *Genes Dev.* 1:268-276.
- POTTER, H., L. Weir, and P. Leder. 1984. Enhancer-dependent expression of human kappa immunoglobulin genes introduced into mouse pre-B lymphocytes by electroporation. *Proc. Natl. Acad. Sci. U. S. A* 81:7161-7165.
- PRENTICE, H., R. A. Kloner, T. Prigozy, T. Christensen, L. Newman, Y. Li, and L. Kedes. 1994. Tissue restricted gene expression assayed by direct DNA injection into cardiac and skeletal muscle. *Journal of Molecular & Cellular Cardiology* 26:1393-1401.
- PUNGLIA, R. S., M. Lu, J. Hsu, M. Kuroki, M. J. Tolentino, K. Keough, A. P. Levy, N. S. Levy, M. A. Goldberg, R. J. D'Amato, and A. P. Adamis. 1997. Regulation of vascular endothelial growth factor expression by insulin-like growth factor I. *Diabetes* 46:1619-1626.
- RABINOVSKY, E. D., E. Gelir, S. Gelir, H. Lui, M. Kattash, F. J. DeMayo, S. M. Shenaq, and R. J. Schwartz. 2003. Targeted expression of IGF-I transgene to skeletal muscle accelerates muscle and motor neuron regeneration. *FASEB J* 17:53-55.
- RANTANEN, J., T. Hurme, R. Lukka, J. Heino, and H. Kalimo. 1995. Satellite cell proliferation and the expression of myogenin and desmin in regenerating skeletal muscle: evidence for two different populations of satellite cells. *Lab Invest* 72:341-347.
- REINMUTH, N., F. Fan, W. Liu, A. A. Parikh, O. Stoeltzing, Y. D. Jung, C. D. Bucana, R. Radinsky, G. E. Gallick, and L. M. Ellis. 2002. Impact of insulin-like growth factor receptor-I function on angiogenesis, growth, and metastasis of colon cancer. *Lab Invest* 82:1377-1389.

REISS, K., W. Cheng, A. Ferber, J. Kajstura, P. Li, B. Li, G. Olivetti, C. J. Homcy, R. Baserga, and P. Anversa. 1996. Overexpression of insulin-like growth factor-1 in the heart is coupled with myocyte proliferation in transgenic mice. Proc. Natl. Acad. Sci. U. S. A 93:8630-8635.

REISS, K., J. Kajstura, X. Zhang, P. Li, E. Szoke, G. Olivetti, and P. Anversa. 1994. Acute myocardial infarction leads to upregulation of the IGF-I autocrine system, DNA replication, and nuclear mitotic division in the remaining viable cardiac myocytes. Exp. Cell Res. 213:463-472.

RIVARD, A., M. Silver, D. Chen, M. Kearney, M. Magner, B. Annex, K. Peters, and J. M. Isner. 1999. Rescue of diabetes-related impairment of angiogenesis by intramuscular gene therapy with adeno-VEGF. Am. J Pathol. 154:355-363.

SHIGEMATSU, S., K. Yamauchi, K. Nakajima, S. Iijima, T. Aizawa, and K. Hashizume. 1999. IGF-I regulates migration and angiogenesis of human endothelial cells. Endocr. J 46 Suppl:S59-62.:S59-S62.

SILVESTRE,J.S., Levy,B.I., 2002. Angiogenesis therapy in ischemic disease. Arch. Mal Coeur Vaiss. 95, 189-196.

SJOGREN, K., J. O. Jansson, O. G. Isaksson, and C. Ohlsson. 2002. A transgenic model to determine the physiological role of liver-derived insulin-like growth factor I. Minerva Endocrinol. 27:299-311.

SJOGREN, K., J. L. Liu, K. Blad, S. Skrtic, O. Vidal, V. Wallenius, D. LeRoith, J. Tornell, O. G. Isaksson, J. O. Jansson, and C. Ohlsson. 1999. Liver-derived insulin-like growth factor I (IGF-I) is the principal source of IGF-I in blood but is not required for postnatal body growth in mice. Proc. Natl. Acad. Sci. U. S. A 96:7088-7092.

SKROCH, P., C. Buchman, and M. Karin. 1993. Regulation of human and yeast metallothionein gene transcription by heavy metal ions. Prog. Clin. Biol. Res. 380:113-28.:113-128.

- SMITH, L. C. and J. L. Nordstrom. 2000. Advances in plasmid gene delivery and expression in skeletal muscle. *Curr. Opin. Mol. Ther.* 2:150-154.
- SONG, S., J. Embury, P. J. Laipis, K. I. Berns, J. M. Crawford, and T. R. Flotte. 2001. Stable therapeutic serum levels of human alpha-1 antitrypsin (AAT) after portal vein injection of recombinant adeno-associated virus (rAAV) vectors. *Gene Ther.* 8:1299-1306.
- SOUBRIER, F., B. Cameron, B. Manse, S. Somarriba, C. Dubertret, G. Jaslin, G. Jung, C. L. Caer, D. Dang, J. M. Mouvault, D. Scherman, J. F. Mayaux, and J. Crouzet. 1999. pCOR: a new design of plasmid vectors for nonviral gene therapy. *Gene Ther.* 6:1482-1488.
- SPOERRI, P. E., E. A. Ellis, R. W. Tarnuzzer, and M. B. Grant. 1998. Insulin-like growth factor: receptor and binding proteins in human retinal endothelial cell cultures of diabetic and non-diabetic origin. *Growth Horm. IGF. Res.* 8:125-132.
- TERADA, Y., H. Tanaka, T. Okado, S. Inoshita, M. Kuwahara, T. Akiba, S. Sasaki, and F. Marumo. 2001. Efficient and ligand-dependent regulated erythropoietin production by naked dna injection and in vivo electroporation. *Am. J Kidney Dis.* 38:S50-S53.
- TONEGUZZO, F., A. Keating, S. Glynn, and K. McDonald. 1988. Electric field-mediated gene transfer: characterization of DNA transfer and patterns of integration in lymphoid cells. *Nucleic Acids Res.* 16:5515-5532.
- TRIPATHY, S. K., E. C. Svensson, H. B. Black, E. Goldwasser, M. Margalith, Hobart, PM, and J. M. Leiden. 1996. Long-term expression of erythropoietin in the systemic circulation of mice after intramuscular injection of a plasmid DNA vector. *Proc. Natl. Acad. Sci. USA* 93:10876-10880.
- TRONCHE, F., A. Rollier, I. Bach, M. C. Weiss, and M. Yaniv. 1989. The rat albumin promoter: cooperation with upstream elements is required when binding of

APF/HNF1 to the proximal element is partially impaired by mutation or bacterial methylation. Mol. Cell Biol. 9:4759-4766.

TRONCHE, F., A. Rollier, P. Herbomel, I. Bach, S. Cereghini, M. Weiss, and M. Yaniv. 1990. Anatomy of the rat albumin promoter. Mol. Biol. Med. 7:173-185.

TRUDEL, M. and F. Costantini. 1987. A 3' enhancer contributes to the stage-specific expression of the human beta-globin gene. Genes Dev. 1:954-961.

TSUMAKI, N., T. Kimura, K. Tanaka, J. H. Kimura, T. Ochi, and Y. Yamada. 1998. Modular arrangement of cartilage- and neural tissue-specific cis-elements in the mouse alpha2(XI) collagen promoter. J. Biol. Chem. 273:22861-22864.

TSURUMI, Y., S. Takeshita, D. Chen, M. Kearney, S. T. Rossow, J. Passeri, J. R. Horowitz, J. F. Symes, and J. M. Isner. 1996. Direct intramuscular gene transfer of naked DNA encoding vascular endothelial growth factor augments collateral development and tissue perfusion [see comments]. Circulation 94:3281-3290.

TUR-KASPA, R., L. Teicher, B. J. Levine, A. I. Skoultchi, and D. A. Shafritz. 1986. Use of electroporation to introduce biologically active foreign genes into primary rat hepatocytes. Mol. Cell Biol. 6:716-718.

VANCE, M. L. 1990. Growth-hormone-releasing hormone. [Review] [52 refs]. Clinical Chemistry 36:415-420.

VANDENBURGH, H. H., P. Karlisch, J. Shansky, and R. Feldstein. 1991. Insulin and IGF-I induce pronounced hypertrophy of skeletal myofibers in tissue culture. Am. J. Physiol. 260:C475-C484.

VEIKKOLA, T., M. Karkkainen, L. Claesson-Welsh, and K. Alitalo. 2000. Regulation of angiogenesis via vascular endothelial growth factor receptors. Cancer Res. 60:203-212.

- VILQUIN, J. T., P. F. Kennel, M. Patureau-Jouas, P. Chapdelaine, N. Boissel, P. Delaere, J. P. Tremblay, D. Scherman, M. Y. Fiszman, and K. Schwartz. 2001. Electrotransfer of naked DNA in the skeletal muscles of animal models of muscular dystrophies. *Gene Ther.* 8:1097-1107.
- WALSH, M. F., M. Barazi, G. Pete, R. Muniyappa, J. C. Dunbar, and J. R. Sowers. 1996. Insulin-like growth factor I diminishes *in vivo* and *in vitro* vascular contractility: role of vascular nitric oxide. *Endocrinology* 137:1798-1803.
- WANG, L., W. Ma, R. Markovich, J. W. Chen, and P. H. Wang. 1998a. Regulation of cardiomyocyte apoptotic signaling by insulin-like growth factor I. *Circ. Res.* 83:516-522.
- WANG, L., W. Ma, R. Markovich, W. L. Lee, and P. H. Wang. 1998b. Insulin-like growth factor I modulates induction of apoptotic signaling in H9C2 cardiac muscle cells. *Endocrinology* 139:1354-1360.
- WELLS, K. E., J. Maule, R. Kingston, K. Foster, J. McMahon, E. Damien, A. Poole, and D. J. Wells. 1997. Immune responses, not promoter inactivation, are responsible for decreased long-term expression following plasmid gene transfer into skeletal muscle. *FEBS Lett.* 407:164-168.
- WOLFF, J. A., R. W. Malone, P. Williams, W. Chong, G. Acsadi, A. Jani, Felgner, and PL. 1990. Direct gene transfer into mouse muscle *in vivo*. *Science* 247:1465-1468.
- WU, H. K., J. A. Squire, Q. Song, and R. Weksberg. 1997. Promoter-dependent tissue-specific expressive nature of imprinting gene, insulin-like growth factor II, in human tissues. *Biochem. Biophys. Res. Commun.* 233:221-226.
- WU, Y., S. Yakar, L. Zhao, L. Hennighausen, and D. LeRoith. 2002. Circulating insulin-like growth factor-I levels regulate colon cancer growth and metastasis. *Cancer Res.* 62:1030-1035.

- XIE, T. D. and T. Y. Tsong. 1993. Study of mechanisms of electric field-induced DNA transfection. V. Effects of DNA topology on surface binding, cell uptake, expression, and integration into host chromosomes of DNA in the mammalian cell. *Biophys. J.* 65:1684-1689.
- YASUI, A., K. Oda, H. Usunomiya, K. Kakudo, T. Suzuki, T. Yoshida, H. M. Park, K. Fukazawa, and T. Muramatsu. 2001. Elevated gastrin secretion by in vivo gene electroporation in skeletal muscle. *Int. J Mol. Med.* 8:489-494.
- YIN, D. and J. G. Tang. 2001. Gene therapy for streptozotocin-induced diabetic mice by electroporational transfer of naked human insulin precursor DNA into skeletal muscle in vivo. *FEBS Lett.* 495:16-20.
- YORIFUJI, T. and H. Mikawa. 1990. Co-transfer of restriction endonucleases and plasmid DNA into mammalian cells by electroporation: effects on stable transformation. *Mutat. Res.* 243:121-126.
- YUTZEY, K. E. and S. F. Konieczny. 1992. Different E-box regulatory sequences are functionally distinct when placed within the context of the troponin I enhancer. *Nucleic Acids Res.* 20:5105-5113..
- ZHAO-EMONET, J. C., O. Boyer, J. L. Cohen, and D. Klatzmann. 1998. Deletional and mutational analyses of the human CD4 gene promoter: characterization of a minimal tissue-specific promoter. *Biochim. Biophys. Acta* 1442:109-119.
- ZHUANG, H. X., C. K. Snyder, S. F. Pu, and D. N. Ishii. 1996. Insulin-like growth factors reverse or arrest diabetic neuropathy: effects on hyperalgesia and impaired nerve regeneration in rats. *Exp. Neurol.* 140:198-205.